

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION I: COMPANY IDENTIFICATION

DISTRIBUTOR'S NAME:	ECO-CORFLEX INDUSTRIAL POLYMERS		
ADDRESS:	3801 E. ROESER ROAD, SUITE #1, PHOENIX, AZ 85040		
EMERGENCY PHONE #:	1-800-255-3924	DATE REVISED:	JAN 16, 2019
INFORMATION PHONE #:	1-866-406-2628	NAME OF PREPARER:	TECH. DEPT.

SECTION II: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE



GHS08 HEALTH HAZARD

MUTA. 2 H341 - SUSPECTED OF CAUSING GENETIC DEFECTS.



GHS09 ENVIRONMENT

AQUATIC CHRONIC 2 H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.



GHS07

SKIN IRRIT. 2 H315 - CAUSES SKIN IRRITATION.
EYE IRRIT. 2A H319 - CAUSES SERIOUS EYE IRRITATION.
SKIN SENS. 1 H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.

LABEL ELEMENTS

HAZARD PICTOGRAMS

THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION II: HAZARDS IDENTIFICATION (CONT'D)

HAZARD PICTOGRAMS



GHS 07



GHS08



GHS09

SIGNAL WORD: WARNING

HAZARD-DETERMINING COMPONENTS OF LABELING: REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT \approx 700)2,3-EPOXYPROPYL O-TOLYL ETHER

HAZARD STATEMENTS:

- H315 CAUSES SKIN IRRITATION.
- H319 CAUSES SERIOUS EYE IRRITATION.
- H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
- H341 SUSPECTED OF CAUSING GENETIC DEFECTS.
- H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENTS:

- P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY.
- P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.
- P281 USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.
- P273 AVOID RELEASE TO THE ENVIRONMENT.
- P264 WASH THOROUGHLY AFTER HANDLING.
- P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
- P321 SPECIFIC TREATMENT (SEE ON THIS LABEL).
- P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE. P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
- P308+P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.
- P332+P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.
- P333+P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
- P337+P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
- P405 STORE LOCKED UP. P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.
- P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION III: COMPOSITION & INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION: MIXTURES

DESCRIPTION: MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

HAZARDOUS INGREDIENTS	WT. %	CAS NUMBER
BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN	>85	25068-38-6
TITANIUM DIOXIDE	5-10	13463-67-7
92,3-EPOXYPROPYL O-TOLYL ETHER	5-10	2210-79-9

SECTION IV: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL INFORMATION: SYMPTOMS OF POISONING MAY EVEN OCCUR AFTER SEVERAL HOURS; THEREFORE MEDICAL OBSERVATION FOR AT LEAST 48HOURS AFTER THE ACCIDENT.

AFTER INHALATION: SUPPLY FRESH AIR AND TO BE SURE CALL FOR A DOCTOR. IN CASE OF UNCONSCIOUSNESS, PLACE PATIENT SECURELY IN SIDE POSITION FOR TRANSPORTATION.

AFTER SKIN CONTACT: IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.

AFTER EYE CONTACT: RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING: GIVE LARGE AMOUNTS OF WATER. IF SYMPTOMS PERSIST CONSULT DOCTOR.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: NO FURTHER RELEVANT INFORMATION AVAILABLE.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: NO FURTHER RELEVANT INFORMATION AVAILABLE.

SECTION V: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: USE FIRE FIGHTING MEASURES THAT SUIT THE ENVIRONMENT.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUTH RESPIRATORY PROTECTIVE DEVICE.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION VI: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: NOT REQUIRED.

ENVIRONMENTAL PRECAUTIONS: INFORM RESPECTIVE AUTHORITIES IN CASE OF SEEPAGE INTO WATER COURSE OR SEWAGE SYSTEM. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (IE. SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING. SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION VII: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. PREVENT FORMATION OF AEROSOLS.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NO SPECIAL MEASURES REQUIRED.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: NO SPECIAL REQUIREMENTS.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY: NOT REQUIRED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

SECTION VIII: EXPOSURE CONTROL / PERSONAL PROTECTION

ADDITIONAL INFO ABOUT DESIGN OF TECHNICAL SYSTEMS: NO FURTHER DATA; SEE SECTION 7.

CONTROL PARAMETERS

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE: THE PRODUCT DOES NOT CONTAIN ANY RELEVANT QUANTITIES OF MATERIALS WITH CRITICAL VALUES THAT HAVE TO BE MONITORED AT THE WORKPLACE.

ADDITIONAL INFORMATION: THE LISTS THAT WERE VALID DURING THE CREATION WERE USED AS BASIS. **SPECIFIC END USE(S):** NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION VIII: EXPOSURE CONTROL / PERSONAL PROTECTION (CONT'D)

EXPOSURE CONTROLS

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES: KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED. IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING. WASH HANDS BEFORE BREAKS AND AT THE END OF WORK. AVOID CONTACT WITH THE EYES AND SKIN.

BREATHING EQUIPMENT: IN CASE OF BRIEF EXPOSURE OR LOW POLLUTION USE RESPIRATORY FILTER DEVICE. IN CASE OF INTENSIVE OR LONGER EXPOSURE, USE RESPIRATORY PROTECTIVE DEVICE THAT IS INDEPENDENT OF CIRCULATING AIR.

PROTECTION OF HANDS



PROTECTIVE GLOVES

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. DUE TO MISSING TESTS, NO RECOMMENDATION TO THE GLOVE MATERIAL CAN BE GIVEN FOR THE PRODUCT/THE PREPARATION/THE CHEMICAL MIXTURE. SELECT GLOVE MATERIAL BASED ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION.

MATERIAL OF GLOVES: THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK-THROUGH TIME HAS TO BE DETERMINED AND OBSERVED BY THE MANUFACTURER OF THE PROTECTIVE GLOVES.

EYE PROTECTION: TIGHTLY SEALED GOGGLES

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

FORM: LIQUID

COLOR: CLEAR, GRAY TAN

ODOR: ODORLESS

ODOUR THRESHOLD: NOT DETERMINED

PH-VALUE: NOT DETERMINED

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES (CONT'D)

CHANGE IN CONDITION/MELTING POINT/MELTING RANGE: NOT DETERMINED

BOILING POINT/BOILING RANGE: 2501 °C (4534 °F)

FLASH POINT: 248°C (478 °F) **FLAMMABILITY (SOLID, GASEOUS):** NOT APPLICABLE

IGNITION TEMPERATURE: DECOMPOSITION TEMPERATURE: NOT DETERMINED

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING

DANGER OF EXPLOSION: PRODUCT DOES NOT PRESENT AN EXPLOSION HAZARD

EXPLOSION LIMITS: LOWER: NOT DETERMINED **UPPER:** NOT DETERMINED

VAPOR PRESSURE: NOT DETERMINED

DENSITY @ 20 °C (68 °F): 1.25 G/CM³ (10.431 LBS/GAL) **RELATIVE DENSITY:** NOT DETERMINED

VAPOUR DENSITY: NOT DETERMINED. **EVAPORATION RATE:** NOT DETERMINED

SOLUBILITY IN /MISCIBILITY WITH WATER: NOT MISCIBLE OR DIFFICULT TO MIX

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED

VISCOSITY: DYNAMIC: NOT DETERMINED **KINEMATIC:** NOT DETERMINED

SOLVENT CONTENT: ORGANIC SOLVENTS: 0.0 %

SOLIDS CONTENT: 100%

OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE

SECTION X: STABILITY & REACTIVITY DATA

REACTIVITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

CHEMICAL STABILITY-THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED: NO DECOMPOSITION IF USED ACCORDING TO SPECIFICATIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN.

CONDITIONS TO AVOID: NO FURTHER RELEVANT INFORMATION AVAILABLE.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: NO DANGEROUS DECOMPOSITION PRODUCTS KNOWN.

SECTION XI: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY: PRIMARY IRRITANT EFFECT: ON THE SKIN: IRRITANT TO SKIN AND MUCOUS MEMBRANES. **ON THE EYE:** IRRITATING EFFECT.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION XI: TOXICOLOGICAL INFORMATION (CONT'D)

SENSITIZATION: SENSITIZATION POSSIBLE THROUGH SKIN CONTACT.

ADDITIONAL TOXICOLOGICAL INFORMATION: THE PRODUCT SHOWS THE FOLLOWING DANGERS ACCORDING TO INTERNALLY APPROVED CALCULATION METHODS FOR PREPARATIONS: HARMFUL, IRRITANT.

CARCINOGENIC CATEGORIES

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER: 13463-67-7 (TITANIUM DIOXIDE)

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED

SECTION XII: ECOLOGICAL INFORMATION

TOXICITY

AQUATIC TOXICITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

PERSISTENCE AND DEGRADABILITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECOTOXICAL EFFECTS: REMARK: TOXIC FOR FISH

ADDITIONAL ECOLOGICAL INFORMATION: GENERAL NOTES: WATER HAZARD CLASS 2 (SELF-ASSESSMENT): HAZARDOUS FOR WATER. DO NOT ALLOW PRODUCT TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM. DANGER TO DRINKING WATER IF EVEN SMALL QUANTITIES LEAK INTO THE GROUND. ALSO POISONOUS FOR FISH AND PLANKTON IN WATER BODIES. TOXIC FOR AQUATIC ORGANISMS

RESULTS OF PBT AND VPVB ASSESSMENT: PBT: NOT APPLICABLE. **VPVB:** NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE

SECTION XIII: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

RECOMMENDATION: MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM.

UNCLEANED PACKAGINGS:

RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION XIV: TRANSPORT INFORMATION

UN-NUMBER

DOT: NON-REGULATED MATERIAL

ADR, IMDG, IATA: UN3082

UN PROPER SHIPPING NAME

DOT: NON-REGULATED MATERIAL

ADR: UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT <= 700), 2,3-EPOXYPROPYL O-TOLYL ETHER)


IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXYRESIN (NUMBER AVERAGE MOLECULAR WEIGHT <= 700), 2,3-EPOXYPROPYL O-TOLYL ETHER), MARINE POLLUTANT

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT <= 700), 2,3-EPOXYPROPYL O-TOLYL ETHER)

TRANSPORT HAZARD CLASS(ES)

DOT CLASS: NON-REGULATED MATERIAL


ADR



CLASS: 9 (M6) MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES

LABEL: 9

IMDG, IATA



CLASS: 9 (M6) MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES

LABEL: 9

PACKING GROUP

DOT: NON-REGULATED MATERIAL

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION XIV: TRANSPORT INFORMATION (CONT'D)

ADR, IMDG, IATA: III

ENVIRONMENTAL HAZARDS: PRODUCT CONTAINS ENVIRONMENTALLY HAZARDOUS SUBSTANCES:
REACTION PRODUCT: BISPENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT <=700)

MARINE POLLUTANT: YES; SYMBOL (FISH AND TREE)

SPECIAL MARKING (ADR): SYMBOL (FISH AND TREE)

SPECIAL MARKING (IATA): SYMBOL (FISH AND TREE)

SPECIAL PRECAUTIONS FOR USER WARNING: MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES

DANGER CODE (KEMLER): 90 **EMS NUMBER:** F-A,S-F

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: NOT APPLICABLE.

UN "MODEL REGULATION": UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.
(REACTION PRODUCT: BISPENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT <=700), 2,3-EPOXYPROPYL O-TOLYL ETHER), 9 III

SECTION XV: REGULATORY INFORMATION

SAFETY, HEALTH & ENVIRONMENTAL REGS/LEGISLATION SPECIFIC FOR SUBSTANCE/MIXTURE

SARA

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES): NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS): NONE OF THE INGREDIENTS IS LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): ALL INGREDIENTS ARE LISTED.

PROPOSITION 65

CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES: NONE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES: NONE LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY: NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES

EPA (ENVIRONMENTAL PROTECTION AGENCY): NONE OF THE INGREDIENTS IS LISTED.

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH): 13463-67-7, TITANIUM DIOXIDE, A4

NIOSH-CA: 13463-67-7, TITANIUM DIOXIDE

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION): CORROSIVE TO EYES

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART A)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY

2 1 0

SECTION XVI: OTHER INFORMATION

ABBREVIATIONS & ACRONYMS:

ADR: ACCORD EUROPÉEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

DISCLAIMER

THE INFORMATION PROVIDED HEREIN WAS BELIEVED BY GFCFS TO BE ACCURATE AT THE TIME OF PREPARATION FROM SOURCES BELIEVED TO BE RELIABLE, BUT IT IS THE RESPONSIBILITY OF THE USER TO INVESTIGATE AND UNDERSTAND OTHER PERTINENT SOURCES OF INFORMATION, TO COMPLY WITH ALL LAWS AND PROCEDURES APPLICABLE TO THE SAFE HANDLING AND USE OF THE PRODUCT AND TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR IT'S INTENDED USE. ALL PRODUCTS DISTRIBUTED BY GFCFS ARE SUBJECT TO GFCFS'S TERMS AND CONDITIONS OF SALE. GFCFS MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY GFCFS, EXCEPT THAT THE PRODUCT SHALL CONFORM TO SPECIFICATIONS. NOTHING CONTAINED HEREIN CONSTITUTES AN OFFER FOR THE SALE OF ANY PRODUCT.