

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION I: COMPANY IDENTIFICATION

DISTRIBUTOR'S NAME:	ECO-CORFLEX INDUSTRIAL POLYMERS		
ADDRESS:	3801 E. ROESER ROAD, SUITE #1, PHOENIX, AZ 85040		
EMERGENCY PHONE #:	1-800-255-3924	DATE REVISED:	JAN 18, 2019
INFORMATION PHONE #:	1-866-406-2628	NAME OF PREPARER:	TECH. DEPT.

SECTION II: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE



GHS05: CORROSION

SKIN CORR. 1A H314 - CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.



GHS07

ACUTE TOX. 4 H302 - HARMFUL IF SWALLOWED.
ACUTE TOX. 4 H332 - HARMFUL IF INHALED.
SKIN SENS. 1 H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.
AQUATIC CHRONIC 3 H412 - HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS

LABEL ELEMENTS

GHS LABEL ELEMENTS

HAZARD PICTOGRAMS

THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

HAZARD PICTOGRAMS



GHS 05

GHS07

SIGNAL WORD: WARNING

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION II: HAZARDS IDENTIFICATION (CONT'D)

HAZARD-DETERMINING COMPONENTS OF LABELING:

3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYL-AMINE
BENZYL ALCOHOL
POLY (PROPYLENE GLYCOL) BIS(2-AMINOPROPYL ETHER)

HAZARD STATEMENTS:

302+H332 - HARMFUL IF SWALLOWED OR IF INHALED.
H314 - CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.
H412- HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENTS:

P260 - DO NOT BREATHE DUST/FUME/GAS/MIST/VAPOURS/SPRAY.
P261 - AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY.
P271 - USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280 - WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE & FACE PROTECTION.
P273 - AVOID RELEASE TO THE ENVIRONMENT.
P303+P361+P353 - IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P305+P351+P338 - IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P310 - IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
P301+P312 - IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.
P321 - SPECIFIC TREATMENT (SEE ON THIS LABEL).
P304+P340 - IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.
P312 - CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.
P363 - WASH CONTAMINATED CLOTHING BEFORE REUSE. P405 - STORE LOCKED UP.
P501 - DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL /REGIONAL /NATIONAL /INTERNATIONAL REGULATIONS.

SECTION III: COMPOSITION & INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION: MIXTURES

DESCRIPTION: MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

HAZARDOUS INGREDIENTS	WT. %	CAS NUMBER
POLY (PROPYLENE GLYCOL) BIS(2-AMINOPROPYL ETHER)	30-45	9046-10-0
3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE	30-40	2855-13-2
BENZYL ALCOHL	10-20	100-51-6

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION IV: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ANY CLOTHING SOILED BY THE PRODUCT. SYMPTOMS OF POISONING MAY EVEN OCCUR AFTER SEVERAL HOURS; THEREFORE MEDICAL OBSERVATION FOR AT LEAST 48HOURS AFTER THE ACCIDENT.

AFTER INHALATION: SUPPLY FRESH AIR AND TO BE SURE CALL FOR A DOCTOR. IN CASE OF UNCONSCIOUSNESS, PLACE PATIENT SECURELY IN SIDE POSITION FOR TRANSPORTATION.

AFTER SKIN CONTACT: IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.

AFTER EYE CONTACT: RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING: IMMEDIATELY CALL A DOCTOR. DRINK COPIOUS AMOUNTS OF WATER AND PROVIDE FRESH AIR. IMMEDIATELY CALL A DOCTOR.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: NO FURTHER RELEVANT INFORMATION AVAILABLE.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: NO FURTHER RELEVANT INFORMATION AVAILABLE.

SECTION V: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: USE FIRE FIGHTING MEASURES THAT SUIT THE ENVIRONMENT.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ADVICE FOR FIREFIGHTERS: PROTECTIVE EQUIPMENT: MOUTH RESPIRATORY PROTECTIVE DEVICE.

SECTION VI: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE EQUIPMENT. KEEP UNPROTECTED PERSONS AWAY.

ENVIRONMENTAL PRECAUTIONS: INFORM RESPECTIVE AUTHORITIES IN CASE OF SEEPAGE INTO WATER COURSE OR SEWAGE SYSTEM. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (IE. SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). USE NEUTRALIZING AGENT. DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION VI: ACCIDENTAL RELEASE MEASURES (CONT'D)

REFERENCE TO OTHER SECTIONS: SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING. SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION VII: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. PREVENT FORMATION OF AEROSOLS.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NO SPECIAL MEASURES REQUIRED.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: NO SPECIAL REQUIREMENTS.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY: NOT REQUIRED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

SECTION VIII: EXPOSURE CONTROL / PERSONAL PROTECTION

ADDITIONAL INFO ABOUT DESIGN OF TECHNICAL SYSTEMS: NO FURTHER DATA; SEE SECTION 7.

CONTROL PARAMETERS

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE: 10-51-6 BENZYL ALCOHOL (WEEL: LONG-TERM VALUE 10 PPM).

ADDITIONAL INFORMATION: THE LISTS THAT WERE VALID DURING CREATION WERE USED AS BASIS.

EXPOSURE CONTROLS

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES: KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED. IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING. WASH HANDS BEFORE BREAKS AND AT THE END OF WORK. AVOID CONTACT WITH THE EYES AND SKIN.

BREATHING EQUIPMENT: IN CASE OF BRIEF EXPOSURE OR LOW POLLUTION USE RESPIRATORY FILTER DEVICE. IN CASE OF INTENSIVE OR LONGER EXPOSURE, USE RESPIRATORY PROTECTIVE DEVICE THAT IS INDEPENDENT OF CIRCULATING AIR.

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION VIII: EXPOSURE CONTROL / PERSONAL PROTECTION (CONT'D)

PROTECTION OF HANDS



PROTECTIVE GLOVES

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. DUE TO MISSING TESTS, NO RECOMMENDATION TO THE GLOVE MATERIAL CAN BE GIVEN FOR THE PRODUCT/THE PREPARATION/THE CHEMICAL MIXTURE. SELECT GLOVE MATERIAL BASED ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION.

MATERIAL OF GLOVES: THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK-THROUGH TIME HAS TO BE DETERMINED AND OBSERVED BY THE MANUFACTURER OF THE PROTECTIVE GLOVES.

EYE PROTECTION: TIGHTLY SEALED GOGGLES

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

FORM: LIQUID

COLOR: CLEAR

ODOR: AMMONIA-LIKE

PH-VALUE: NOT DETERMINED

CHANGE IN CONDITION MELTING POINT/MELTING RANGE: NOT DETERMINED

BOILING POINT/BOILING RANGE: 205°C (401°F)

FLASH POINT: 101°C (214°F) **FLAMMABILITY (SOLID, GASEOUS):** NOT APPLICABLE

IGNITION TEMPERATURE: 240°C (464°F)

DECOMPOSITION TEMPERATURE: NOT DETERMINED

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING

DANGER OF EXPLOSION: PRODUCT DOES NOT PRESENT AN EXPLOSION HAZARD

EXPLOSION LIMITS: LOWER: 0.7 VOL% **UPPER:** 13.0 VOL%

VAPOR PRESSURE @20°C (68°F): 0.1 hPa

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES (CONT'D)

DENSITY @ 20 °C (68 °F): 0.98 G/CM³ (8.178 LBS/GAL) **RELATIVE DENSITY:** NOT DETERMINED

VAPOUR DENSITY: NOT DETERMINED. **EVAPORATION RATE:** NOT DETERMINED

SOLUBILITY IN /MISCIBILITY WITH WATER: NOT MISCIBLE OR DIFFICULT TO MIX

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED

VISCOSITY: DYNAMIC: NOT DETERMINED **KINEMATIC:** NOT DETERMINED

SOLVENT CONTENT: ORGANIC SOLVENTS: 15.0 % **VOC CONTENT:** 15.0%

OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE

SECTION X: STABILITY & REACTIVITY DATA

REACTIVITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

CHEMICAL STABILITY-THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED: NO DECOMPOSITION IF USED ACCORDING TO SPECIFICATIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN.

CONDITIONS TO AVOID: NO FURTHER RELEVANT INFORMATION AVAILABLE.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: NO DANGEROUS DECOMPOSITION PRODUCTS KNOWN.

SECTION XI: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION

9046-10-0: POLY(PROPYLENE GLYCOL) BIS(2-AMINOPROPYL ETHER)

ORAL LD50: 2885.3 MG/KG (RAT)

DERMAL LD50: 2980 MG/KG (RABBIT); SKIN - RABBIT - CORROSIVE, CATEGORY 1C - WHERE RESPONSES OCCUR AFTER EXPOSURES BETWEEN 1 HOUR AND 4 HOURS AND OBSERVATIONS UP TO 14 DAYS. OECD TEST GUIDELINE 404.

INHALATIVE LC50/4H: >0.74 MG/L (RAT) (8 HOURS)

100-51-6 BENZYL ALCOHOL

ORAL LD50: 1230 MG/KG (RAT); DERMAL LD50: 2000 MG/KG (RABBIT)

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION XI: TOXICOLOGICAL INFORMATION (CONT'D)

PRIMARY IRRITANT EFFECT:

ON THE SKIN: STRONG CAUSTIC EFFECT ON SKIN AND MUCOUS MEMBRANES.

ON THE EYE: CORROSIVE EFFECT.

SENSITIZATION: SENSITIZATION POSSIBLE THROUGH SKIN CONTACT.

ADDITIONAL TOXICOLOGICAL INFORMATION: THE PRODUCT SHOWS THE FOLLOWING DANGERS ACCORDING TO INTERNALLY APPROVED CALCULATION METHODS FOR PREPARATIONS: HARMFUL, CORROSIVE, IRRITANT. SWALLOWING WILL LEAD TO A CORROSIVE EFFECT ON MOUTH AND THROAT AND TO THE DANGER OF PERFORATION OF ESOPHAGUS AND STOMACH.

CARCINOGENIC CATEGORIES

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER): NONE OF THE INGREDIENTS IS LISTED.

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED.

SECTION XII: ECOLOGICAL INFORMATION

TOXICITY

AQUATIC TOXICITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

PERSISTENCE AND DEGRADABILITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECOTOXICAL EFFECTS: REMARK: HARMFUL TO FISH

ADDITIONAL ECOLOGICAL INFORMATION: GENERAL NOTES: WATER HAZARD CLASS 2 (SELF-ASSESSMENT): HAZARDOUS FOR WATER. DO NOT ALLOW PRODUCT TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM. DANGER TO DRINKING WATER IF EVEN SMALL QUANTITIES LEAK INTO THE GROUND. ALSO POISONOUS FOR FISH AND PLANKTON IN WATER BODIES. TOXIC FOR AQUATIC ORGANISMS

RESULTS OF PBT AND VPVB ASSESSMENT: PBT: NOT APPLICABLE. **VPVB:** NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE

SECTION XIII: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

RECOMMENDATION: MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION XIII: DISPOSAL CONSIDERATIONS (CONT'D)

UNCLEANED PACKAGINGS:

RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS

SECTION XIV: TRANSPORT INFORMATION

UN-NUMBER

DOT, ADR, IMDG, IATA: UN2922

UN PROPER SHIPPING NAME

DOT: CORROSIVE LIQUIDS, TOXIC, N.O.S. (POLY(PROPYLENE GLYCOL) BIS(2-AMINOPROPYL ETHER), ISOPHORONEDIAMINE)

ADR: UN2922 CORROSIVE LIQUIDS, TOXIC, N.O.S. (POLY(PROPYLENE GLYCOL)BIS(2-AMINOPROPYL ETHER), ISOPHORONEDIAMINE)

IMDG, IATA: CORROSIVE LIQUID, TOXIC, N.O.S. (POLY(PROPYLENE GLYCOL)BIS(2-AMINOPROPYL ETHER), ISOPHORONEDIAMINE)

TRANSPORT HAZARD CLASS(ES)

DOT



CLASS: 8 CORROSIVE SUBSTANCES.

LABEL: 8+6.1

ADR



CLASS: 8 (CT1) CORROSIVE SUBSTANCES

LABEL: 8+6.1

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION XIV: TRANSPORT INFORMATION

IMDG, IATA



CLASS: 8 CORROSIVE SUBSTANCES.

LABEL: 8+6.1

PACKING GROUP (DOT, ADR, IMDG, IATA): III

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: NO-SPECIAL PRECAUTIONS FOR USER

WARNING: CORROSIVE SUBSTANCES

DANGER CODE (KEMLER): 86

EMS NUMBER: F-A,S-B

SEGREGATION GROUPS: ALKALIS

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: NOT APPLICABLE.

UN "MODEL REGULATION": UN2922, CORROSIVE LIQUIDS, TOXIC, N.O.S. (POLY(PROPYLENE GLYCOL)BIS(2-AMINOPROPYL ETHER), ISOPHORONEDIAMINE), 8 (6.1), III*

SECTION XV: REGULATORY INFORMATION

SAFETY, HEALTH & ENVIRONMENTAL REGS/LEGISLATION SPECIFIC FOR SUBSTANCE/MIXTURE SARA

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES): NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS): NONE OF THE INGREDIENTS IS LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): ALL INGREDIENTS ARE LISTED.

PROPOSITION 65

CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES: NONE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES: NONE LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY: NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES

EPA (ENVIRONMENTAL PROTECTION AGENCY): NONE OF THE INGREDIENTS IS LISTED.

ECO CorFlex

Molecular Industrial Polymers

SAFETY DATA SHEET

PRODUCT NAME: SL EPOXY (PART B)

HMIS RATINGS: H F R

PRODUCT DESCRIPTION: 100% SOLIDS EPOXY (ACTIVATOR)

3 1 0

SECTION XV: REGULATORY INFORMATION

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH): NONE OF THE INGREDIENTS IS LISTED.

NIOSH-CA: NONE OF THE INGREDIENTS IS LISTED.

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION): CORROSIVE TO EYES

SECTION XVI: OTHER INFORMATION

ABBREVIATIONS & ACRONYMS:

ADR: ACCORD EUROPÉEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

DISCLAIMER

THE INFORMATION PROVIDED HEREIN WAS BELIEVED BY GFCFS TO BE ACCURATE AT THE TIME OF PREPARATION FROM SOURCES BELIEVED TO BE RELIABLE, BUT IT IS THE RESPONSIBILITY OF THE USER TO INVESTIGATE AND UNDERSTAND OTHER PERTINENT SOURCES OF INFORMATION, TO COMPLY WITH ALL LAWS AND PROCEDURES APPLICABLE TO THE SAFE HANDLING AND USE OF THE PRODUCT AND TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR IT'S INTENDED USE. ALL PRODUCTS DISTRIBUTED BY GFCFS ARE SUBJECT TO GFCFS'S TERMS AND CONDITIONS OF SALE. GFCFS MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY GFCFS, EXCEPT THAT THE PRODUCT SHALL CONFORM TO SPECIFICATIONS. NOTHING CONTAINED HEREIN CONSTITUTES AN OFFER FOR THE SALE OF ANY PRODUCT.